

GLOVES | BLANKETS | CABLES | EARTH CLAMPS | OETIKER CLAMPS | AND MORE

HOT SEASON DEALS



FROM 1 FEB UNTIL 30 APR

torchmaster.com.au

Order via email on sales@torchmaster.com.au

SAFETY EQUIPMENT

WEDING LEATHER GLOVES KEVLAR® 40CM



GG10040

ITEM CODE	DESCRIPTION
GG10050	Welding Gloves Re-inforced Palm Green 40cm - LH

CHROME LEATHER LONG LEGGINGS AND SPATS

AP9200

ITEM CODE	DESCRIPTION
AP9100	Gold Leather Short Leggings and Spats



LEATHER WELDERS APRON CHARCOAL BROWN 106X63CM

AP6100XL

ITEM CODE	DESCRIPTION
AP6100L	Leather Welders Apron Charcoal Brown 90x58cm
AP6024	Leather Welders Apron Charcoal Brown 61x61cm
AP6042L	Split Cowhide Leg Apron Chaps and Pants L
AP6042XL	Split Cowhide Leg Apron Chaps and Pants XL
AP6200L	Leather Long Sleeve Welders Apron Gold 94x72cm
AP7036L	Proban® Welders Apron Blue 91x61cm
AP7036XL	Proban® Welders Apron Blue 106x63cm

SOFT SILICA WELD BLANKETS

ITEM CODE	DESCRIPTION
OME84-0.9X1.8M	Soft Silica Welding Blanket 0.9x1.8mt 1000 °C
OME84-1.8X1.8M	Soft Silica Welding Blanket 1.8x1.8mt 1000 °C
OME88-0.9X1.8M	Soft Silica Welding Blanket 0.9x1.8mt 1000 °C
OME88-1.8X1.8M	Soft Silica Welding Blanket 1.8x1.8mt 1000 °C

TIG GLOVES 40CM LARGE



OMETG2102

ITEM CODE	DESCRIPTION
OMETG2101	Tig Gloves 35cm L
OMETG2101XL	Tig Gloves 35cm XL
OMETG2102XL	Tig Gloves 40cm XL

CHROME LEATHER WELDING BLANKET 1.8X1.8M 55 DEGREES



APLB1818

ITEM CODE	DESCRIPTION
APLB2020	Chrome Leather Welding Blanket 2x2m 55 °C
APLB3030	Chrome Leather Welding Blanket 3x3m 55 °C

ALUMINISED GLOVE SAVER (LH)



AGS-L

ITEM CODE	DESCRIPTION
AGS-R	Aluminised Glove Saver (RH)

LEATHER CABLE COVER 4"X 25'



APCCT425

ITEM CODE	DESCRIPTION
APCCT412	Leather Cable Cover 4"x12'
APCCT415	Leather Cable Cover 4" x15'
APCCT422	Leather Cable Cover 4"x22'
APCCT625	Leather Cable Cover 6"x25'
APCCT425-100M	Leather Cable Cover 4"x100m Roll
APCCT625-100M	Leather Cable Cover 6"x100m Roll

LEATHER WELDERS SLEEVES 40CM



AP9101

SOFT FIBERGLASS WELDING BLANKET 1.8X1.8M 550 DEGREES



OMESF1818

ITEM CODE	DESCRIPTION
OMESF0909	Soft Fiberglass Blanket 0.9x0.9m 550 °C
OMESF0918	Soft Fiberglass Blanket 0.9x1.8m 550 °C
OMESF1050	Soft Fiberglass Blanket 1.0x50m 550 °C
OMESF1827	Soft Fiberglass Blanket 1.8x2.7m 550 °C
HT800-2030	Fiberglass Blanket 2x3m 550 °C
HT800-1.8-50M	Fiberglass Blanket 1.8x50m Roll 550 °C
OMESF1518	Soft Fiberglass Blanket 1.5x1.8m 550 °C
OMESF1050	Soft Fiberglass Blanket 1.0x50m 550 °C

RED EARTH SERIES CABLES

PLUGS & CONNECTORS

Premium Welding Cables

Designed for Australian conditions and built to last, the Torchmaster RED EARTH SERIES represents dependable performance where it matters most. This premium range of welding cables is engineered for professionals working in fabrication shops, heavy industry and demanding field environments, where reliability, safety and flexibility are non-negotiable.

The RED EARTH SERIES name reflects toughness and trustcables built to handle harsh worksites, constant movement and extreme conditions, while delivering consistent power day after day. Featuring a high-strand 100% oxygen-free copper core, these cables provide excellent conductivity with low resistance,

helping ensure smooth, stable welding performance even under load.


A rugged dual-layer NBR insulation system enhances electrical safety and protects against abrasion, impact and weather exposure, while maintaining exceptional flexibility for tight spaces and fast-paced workflows. Clear, durable markings allow for quick identification and confident setup on site.

Certified to Australian Standards, RED EARTH SERIES cables offer long-term confidence for professionals who need equipment they can rely on, shift after shift, job after job.

Available in a wide range of sizes to suit light through to high-current welding applications:

ITEM CODE	DESCRIPTION
WC16	16mm ² Welding Cable Orange 175 Amp
WC25	25mm ² Welding Cable Orange 230 Amp
WC35	35mm ² Welding Cable Orange 290 Amp
WC50	50mm ² Welding Cable Orange 370 Amp
WC70	70mm ² Welding Cable Orange 460 Amp
WC95	95mm ² Welding Cable Orange 560 Amp
WC120	120mm ² Welding Cable Orange 650 Amp

Clear markings for confident setup



CABLE PLUG 50-70MM SQ CABLE



Ideal for larger cable sizes and higher-load welding systems, this plug provides strong current handling and dependable contact stability.

CP5070

ITEM CODE	DESCRIPTION
CP1025	Cable Plug 10-25mm Sq Cable Premium Hard Rubber
CP3550	Cable Plug 35-50mm Sq Cable Premium Hard Rubber
CP7095	Cable Plug 70-95mm Sq Cable

CABLE CONNECTOR 300AMP



Its brass conductor delivers reliable current transfer, while the moulded rubber housing provides grip, protection and resistance to daily wear.

MC300

ITEM CODE	DESCRIPTION
MC300-M	Cable Connector 300 Amp (Male Only)
MC300-F	Cable Connector 300 Amp (Female Only)

CABLE CONNECTOR 500AMP



Superior conductivity and a durable rubber-insulated body for maximum safety, it guarantees secure and stable electrical connections.

MC500

ITEM CODE	DESCRIPTION
MC500-M	Cable Connector 500 Amp (Male Only)
MC500-F	Cable Connector 500 Amp (Female Only)

CABLE CONNECTOR 600AMP



Built for extreme-duty welding environments where maximum power transfer and reliability are critical. Provides strong resistance to heat, impact and abrasion.

MC600

ITEM CODE	DESCRIPTION
MC600-M	Cable Connector 600 Amp (Male Only)
MC600-F	Cable Connector 600 Amp (Female Only)

CRIMP LUGS & EARTH CLAMPS



**CRIMP LUG
16X10MM HOLE**

CL1610



**CRIMP LUG
16X12MM HOLE**

CL1612



**CRIMP LUG
25X8MM HOLE**

CL2508



**CRIMP LUG
25X12MM HOLE**

CL2512



**CRIMP LUG
35X6MM HOLE**

CL3506



**CRIMP LUG
35X12MM HOLE**

CL3512



**CRIMP LUG
50X12MM HOLE**

CL5012



**CRIMP LUG
70X12MM HOLE**

CL7012



**CRIMP LUG
95X12MM HOLE**

CL9512



**CRIMP LUG
120X14mm HOLE**

CL12014-JG

ITEM CODE	DESCRIPTION
CL2510	Crimp Lug 25x10mm Hole
CL2513	Crimp Lug 25x13mm Hole
CL3510	Crimp Lug 35x10mm Hole
CL5013	Crimp Lug 50x13mm Hole

CL5014	Crimp Lug 50x14mm Hole
CL7013	Crimp Lug 70x13mm Hole
CL7014	Crimp Lug 70x14mm Hole
CL9513	Crimp Lug 95x13mm Hole
CL12013	Crimp Lug 120x13mm Hole

<p>200AMP</p> <p>ECP200P</p>	<p>500AMP</p> <p>ECP500P</p>	<p>600AMP</p> <p>ECP600HD</p>	<p>600AMP G TYPE</p> <p>ECG60</p>
<p>200AMP BRASS</p> <p>ECGM20</p>	<p>400AMP BRASS</p> <p>ECGM40</p>	<p>600AMP BRASS</p> <p>ECGM60</p>	<p>600AMP ROUND</p> <p>ECM60R</p>
<p>600AMP SCREW</p> <p>ECMY60</p>	<p>600AMP ROTARY</p> <p>ECR600</p>	<p>600AMP SCREW</p> <p>ECSTD60B</p>	<p>600AMP G TYPE</p> <p>ECWG60T</p>

ITEM CODE	DESCRIPTION
EC150	Earth Clamp 150 Amp Copper Strap
EC300P	Earth Clamp 300 Amp Copper Braid
ECG80	Earth Clamp 800 Amp

ECM30R	Round Magnetic Earth Clamp 300 Amp
ECM50R	Round Magnetic Earth Clamp 500 Amp
ECR1000-2	Rotary Earth Clamp 1000 Amp

PIPE CLAMPS & MORE

OETIKER PINCERS

PIPE CLAMP 25.0-74.0MM

Delivers fast, accurate pipe alignment for professional fit-up jobs. Designed for use with pipe-to-pipe, pipe-to-flange, and pipe-to-fitting applications.



LECA1

PIPE CLAMP 50.0-150.0MM

Designed for medium-diameter pipe fit-up, this clamp delivers fast, accurate alignment for pipe fabrication and installation work.



LECA2

PIPE CLAMP 127.0-300.0MM

Engineered for heavy-duty performance, this clamp offers precise alignment for large-diameter pipe setups ensuring quick and accurate fit-ups.



LECA3

AUTOMOTIVE 4 PIECE BUTT WELD CLAMP SET

Ensures precise alignment of sheet metal during welding and repair. Each clamp holds panels with consistent spacing for stronger, cleaner butt welds.



OME6961

14100338

SIDE CLOSING PINCERS



14100498

SIDE JAW EAR CLAMP PINCER COMPOUND ACTION



14100407

EAR CLAMP CUTTER COMPOUND ACTION



14100500

HIP2000 ER/SYMMETRIC (STR) STD JAW PINCER



14100513

HIP2000 FOR LOW PROFILE PGT168



HOT DEAL

ITEM CODE	DESCRIPTION
14100386	Oetiker Std Jaw Ear Clamp Pincer Compound Action
14100387	Oetiker Side Jaw Ear Clamp Pincer Compound Action
14100519	Hand Clamp Cutter HCC2000-519



OETIKER CLAMPS

KITS



ITEM CODE	DESCRIPTION
151-DECGK10	Oetiker Stainless Steel Double Ear Clamp Kit 98 Pieces
151-DECGK15	Oetiker Stainless Steel Double Ear Clamp Kit 148 Pieces
167-ECGK10	Oetiker Stainless Steel Stepless Ear Clamp Kit 100 Pieces
167-ECGK15	Oetiker Stainless Steel Stepless Ear Clamp Kit 150 Pieces

WORM DRIVE CLAMPS W2 BAND & HOUSING STAINLESS STEEL S43000/1.4016 HEXAGON HEAD SCREW, STEEL (ZINC PLATED)



BAND WIDTH 9MM THICKNESS 0.6MM

ITEM CODE	DESCRIPTION
12600451	Oetiker WDC 8-16mm
12600452	Oetiker WDC 12-20mm
12600453	Oetiker WDC 16-25mm
12600454	Oetiker WDC 20-32mm
12600466	Oetiker WDC 35-55mm

BAND WIDTH 9MM THICKNESS 0.8MM

ITEM CODE	DESCRIPTION
12600352	Oetiker WDC 25-40mm
12600330	Oetiker WDC 32-50mm
12600339	Oetiker WDC 40-45mm
12600340	Oetiker WDC 40-60mm
12600354	Oetiker WDC 45-65mm
12600341	Oetiker WDC 50-70mm
12600342	Oetiker WDC 60-80mm
12600343	Oetiker WDC 70-90mm

BAND WIDTH 9MM THICKNESS 0.7MM

ITEM CODE	DESCRIPTION
17700471	Oetiker WDC 90-110mm
17700472	Oetiker WDC 100-120mm
17700473	Oetiker WDC 110-130mm
17700474	Oetiker WDC 120-140mm
17700475	Oetiker WDC 130-150mm
17700476	Oetiker WDC 140-160mm

BAND WIDTH 12MM THICKNESS 0.8MM

ITEM CODE	DESCRIPTION
17700560	Oetiker WDC 100-120mm
17700561	Oetiker WDC 110-130mm
17700562	Oetiker WDC 120-140mm
17700563	Oetiker WDC 130-150mm
17700564	Oetiker WDC 140-160mm
17700565	Oetiker WDC 150-170mm
17700648	Oetiker WDC 160-180mm
17700650	Oetiker WDC 180-200mm
17700652	Oetiker WDC 200-220mm
17700653	Oetiker WDC 210-230mm
17700655	Oetiker WDC 230-250mm
17700657	Oetiker WDC 250-270mm
17700233	Oetiker WDC 30-45mm

BAND WIDTH 9MM THICKNESS 0.7MM

ITEM CODE	DESCRIPTION
12600429	Oetiker WDC 25-40mm
12600430	Oetiker WDC 30-45mm
12600431	Oetiker WDC 32-50mm
12600432	Oetiker WDC 40-60mm
12600433	Oetiker WDC 50-70mm
12600434	Oetiker WDC 60-80mm
12600435	Oetiker WDC 70-90mm
12600467	Oetiker WDC 80-100mm

WORM DRIVE CLAMPS W3 ALL PARTS STAINLESS STEEL S43000/1.4016



BAND WIDTH 9MM THICKNESS 0.6MM

ITEM CODE	DESCRIPTION
17700510	Oetiker WDC 8-16mm
17700511	Oetiker WDC 12-20mm
17700514	Oetiker WDC 16-25mm
17700515	Oetiker WDC 20-32mm

WORM DRIVE CLAMPS W4 STAINLESS STEEL



BAND WIDTH 9MM THICKNESS 0.6MM

ITEM CODE	DESCRIPTION
17700512	Oetiker WDC 8-16mm
17700513	Oetiker WDC 12-20mm
17700516	Oetiker WDC 16-25mm
17700517	Oetiker WDC 20-32mm

ITEM CODE	DESCRIPTION
12600468	Oetiker WDC 90-110mm
12600469	Oetiker WDC 100-120mm
12600470	Oetiker WDC 110-130mm
12600471	Oetiker WDC 120-140mm
12600472	Oetiker WDC 130-150mm
12600473	Oetiker WDC 140-160mm

BAND WIDTH 9MM THICKNESS 0.7MM

ITEM CODE	DESCRIPTION
17700462	Oetiker WDC 25-40mm
17700463	Oetiker WDC 30-45mm
17700464	Oetiker WDC 32-50mm
17700465	Oetiker WDC 35-55mm
17700466	Oetiker WDC 40-60mm
17700467	Oetiker WDC 50-70mm
17700468	Oetiker WDC 60-80mm
17700469	Oetiker WDC 70-90mm
17700470	Oetiker WDC 80-100mm

BAND WIDTH 12MM THICKNESS 0.8MM

ITEM CODE	DESCRIPTION
17700537	Oetiker WDC 25-40mm
17700538	Oetiker WDC 30-45mm
17700539	Oetiker WDC 32-50mm
17700540	Oetiker WDC 35-55mm
17700543	Oetiker WDC 50-70mm
17700545	Oetiker WDC 60-80mm
17700556	Oetiker WDC 70-90mm
17700558	Oetiker WDC 80-100mm
17700559	Oetiker WDC 90-110mm

OETIKER SINGLE EAR CLAMPS (STEPLESS) STAINLESS STEEL S30400/1.4301 304SS



BAND WIDTH 5MM THICKNESS 0.5MM

ITEM CODE	DESCRIPTION
16700001	Stepless 1 Ear Clamp 5.8-7mm
16700002	Stepless 1 Ear Clamp 6.8-8mm
16700003	Stepless 1 Ear Clamp 7.8-7mm
16700004	Stepless 1 Ear Clamp 7.8-9.5mm
16700005	Stepless 1 Ear Clamp 8.3-10mm
16700006	Stepless 1 Ear Clamp 8.8-10.5mm
16702492	Stepless 1 Ear Clamp 9.2-10.9mm
16700007	Stepless 1 Ear Clamp 9.6-11.3mm
16700008	Stepless 1 Ear Clamp 10.1-11.8mm

OETIKER STAINLESS SINGLE EAR CLAMPS (WITH INSERT)



ITEM CODE	DESCRIPTION
15400014	1 Ear Clamp 4.7-5.7mm

OETIKER SINGLE EAR CLAMPS (STEPLESS) STAINLESS STEEL

BAND WIDTH 7MM THICKNESS 0.6MM



ITEM CODE	DESCRIPTION
16702951	Stepless 1 Ear Clamp 9.4-11.9mm
16700009	Stepless 1 Ear Clamp 9.8-12.3mm
16702493	Stepless 1 Ear Clamp 10.3-12.8mm
16700010	Stepless 1 Ear Clamp 10.8-13.3mm
16700011	Stepless 1 Ear Clamp 11.3-13.8mm
16700013	Stepless 1 Ear Clamp 12.0-14.5mm
16700014	Stepless 1 Ear Clamp 12.3-14.8mm
16700015	Stepless 1 Ear Clamp 12.8-15.3mm
16700016	Stepless 1 Ear Clamp 13.2-15.7mm
16700017	Stepless 1 Ear Clamp 14.5-17mm
16700018	Stepless 1 Ear Clamp 14.6-17.8mm
16700019	Stepless 1 Ear Clamp 14.8-18mm
16702494	Stepless 1 Ear Clamp 13.7-16.2mm
16702495	Stepless 1 Ear Clamp 14.1-16.6mm
16700020	Stepless 1 Ear Clamp 15.3-18.5mm
16702498	Stepless 1 Ear Clamp 16.6-19.8mm
16700024	Stepless 1 Ear Clamp 17.8-21mm
16700026	Stepless 1 Ear Clamp 19.4-22.6mm
16700029	Stepless 1 Ear Clamp 20.9-24.1mm
16700031	Stepless 1 Ear Clamp 22.4-25.6mm
16700033	Stepless 1 Ear Clamp 23.9-27.1mm
16702047	Stepless 1 Ear Clamp 26.9-30.1mm
16700040	Stepless 1 Ear Clamp 28.4-31.6mm
16700042	Stepless 1 Ear Clamp 29.9-33.1mm
16700068	Stepless 1 Ear Clamp 60.3-63.5mm

OETIKER 2 EAR CLAMPS ZINC PLATED STEEL 1.0338/SAE 100/1010




ITEM CODE	DESCRIPTION
10100000	Double Ear Clamp 3.1-4.1mm
10100002	Double Ear Clamp 3-5mm
10100004	Double Ear Clamp 5-7mm
10100008	Double Ear Clamp 7-9mm
10100013	Double Ear Clamp 9-11mm
10100016	Double Ear Clamp 11-13mm
10100019	Double Ear Clamp 13-15mm
10100022	Double Ear Clamp 15-17mm
10100024	Double Ear Clamp 15-18mm
10100027	Double Ear Clamp 17-20mm
10100029	Double Ear Clamp 19-22mm
10100030	Double Ear Clamp 20-23mm
10100032	Double Ear Clamp 22-25mm
10100034	Double Ear Clamp 23-27mm
10100035	Double Ear Clamp 25-28mm
10100039	Double Ear Clamp 28-31mm
10100041	Double Ear Clamp 31-34mm
10100043	Double Ear Clamp 34-37mm
10100045	Double Ear Clamp 37-40mm

OETIKER 2 EAR CLAMP ZINC PLATED STEEL S30400/1.4301



ITEM CODE	DESCRIPTION
15100002	Double Ear Clamp 3-5mm
15100003	Double Ear Clamp 5-7mm
15100004	Double Ear Clamp 7-9mm
15100005	Double Ear Clamp 9-11.3mm
15100006	Double Ear Clamp 11-13mm
15100007	Double Ear Clamp 13-15mm
15100008	Double Ear Clamp 14-17mm
15100009	Double Ear Clamp 15-18mm
15100010	Double Ear Clamp 17-20mm
15100011	Double Ear Clamp 18.1-22mm
15100012	Double Ear Clamp 19-23mm
15100013	Double Ear Clamp 21-25mm
15100014	Double Ear Clamp 22-27mm
15100015	Double Ear Clamp 24-28mm
15100017	Double Ear Clamp 17-20mm
15100018	Double Ear Clamp 29-34mm

TORCHMASTER



torchmaster.com.au

Order via email on sales@torchmaster.com.au