

# GAS EQUIPMENT



Straight Line Cutter	24
Pipe Cutter	25
Gas Kits	26
Bullfinch LPG Brazing Kit	28
Single Stage Regulators - OMEGA	29
Flowmeter, CO2 Heater and Balloon Filler	30
Flashback Arrestors	31
Roller Guide and Radius Bar	31
Gas Cutting Torch	32
Gas Cylinder Trolleys	34
Gas Attachments Spare Parts	35
Cutting and Gouging Tips	36
LP Cutting Tips	37
Welding Rubber Hose	38
Welding Hose Fitting/ Adaptors	39
Nipples & Nuts for Gas Fittings	40
Welding Hose Tools, Ferrules and Nuts	41
Flint Lighters and Tip Cleaners/ Drills	42



**BBSLC-1**



**BBSLC - NO TRACK**


## STRAIGHT LINE CUTTER

Stock Code	Product Description	Pack Size
BBSLC	Beetle Straight Line Cutter (No Track)	1
BBSLC-1	Beetle Straight Line Cutter with 1.8 metre Track	1
BBSLC-TRACK	Bobcat Beetle 1.8 Metre Track	1
BB2TORCH	Beetle Torch Conversion Kit From One to Two Heads	1

*Beetle photo for illustration purposes. Final products may vary in appearance.*



**PARTS FOR A CONVERSION TO 2 TORCH BEETLE**



**PIPE CUTTER #1**



**PIPE CUTTER #2**

PIPECUTTER		
Stock Code	Product Description	Pack Size
PIPECUTTER	Pipecutter manual with 2.4 Metre Chain	1
PIPECHAIN	3 Metre Chain	1
PIPECUT TORCH	Pipecutter Torch	1

\*\* A range of spares are available. Please make enquiries when needed

# GAS EQUIPMENT

GAS KITS



## GAS KITS - OME8035

Stock Code	Product Description	Pack Size
OME8035	Trade Oxygen/Acetylene Kit (No Flashbacks)	1

### Gas Kit Components

OMEAC14	Acetylene Reg 0-150 Kpa Twin Gauge to AS4267	1
OMEOX10	Oxy Reg 0-1000 Kpa Twin Gauge to AS4267	1
OME241	Torch handle	1
OME242	Cutting Attachment	1
HA1005-OA	Twin Oxy-Acet HA 10m x 5mm	1
801777	Flip Front Oxy Goggles Shade 5	1
6025	Single Cup Flint Lighter	1
SWT8	SWT8 Acet Welding Tip 551-8	1
SWT10	SWT10 Acet Welding Tip	1
SWT12	SWT12 Acet Welding Tip	1
800243	Acetylene/LPG Mixer (550) 10mm	1
853721	8x12 HT Acet Heating Tip	1
41-8	41-8 #8 Acet Cutting Tip	1
41-12	Acetylene Cutting Tip #12	1
41-15	Acetylene Cutting Tip #15	1
6051	Tip Cleaner	1
CS0258	Adjustable Spanner	1

## GAS KITS - OME8037

Stock Code	Product Description	Pack Size
OME8037	Oxygen/Acetylene Kit Omega (With Flashbacks)	1

### Gas Kit Components

OMEAC14	Acetylene Reg 0-150 Kpa Twin Gauge to AS4267	1
OMEOX10	Oxy Reg 0-1000 Kpa Twin Gauge to AS4267	1
OME241	Torch handle	1
OME242	Cutting Attachment	1
HA1005-OA	Twin Oxy-Acet HA 10m x 5mm*	1
801777	Flip Front Oxy Goggles Shade 5	1
6025	Single Cup Flint Lighter	1
SWT8	SWT8 Acet Welding Tip 551-8	1
SWT10	SWT10 Acet Welding Tip	1
SWT12	SWT12 Acet Welding Tip	1
800243	Acetylene/LPG Mixer (550) 10mm	1
853721	8x12 HT Acet Heating Tip	1
41-8	41-8 #8 Acet Cutting Tip	1
41-12	Acetylene Cutting Tip #12	1
41-15	Acetylene Cutting Tip #15	1
6051	Tip Cleaner	1
CS0258	Adjustable Spanner	1
FBARAC	FBA Reg End Fuel 0240-050 (Type 83)	1
FBAROX	FBA Oxy Reg End 0240-010 (Type 83)	1
FBATAC	FBA Fuel Gas Torch End (Type 84)	1
FBATOX	FBA Oxy Torch End (Type 84)	1

Torchmaster Australia is no way affiliated with any brands, trademark and manufacturers listed in our catalogue. All brands, trademarks and part numbers are the property of their respective owners. They are listed purely for customer convenience.



GAS KITS - OME8036		
Stock Code	Product Description	Pack Size
OME8036	Trade Oxygen/LPG Kit (No Flashbacks)	1
LSK036	LPG Basic Conversion Kit	1

Gas Kit Components		
OMELP35	Omega LPG Reg 0-350 Kpa Rear Entry	1
OMEOX10	Oxy Reg 0-1000 Kpa Twin Gauge to AS4267	1
OME241	Torch handle	1
OME242	Cutting Attachment	1
HA1005-OLP	Twin Oxy/LPG 10m x 5mm assembly fot kit	1
801777	Flip Front Oxy Goggles Shade 5	1
6025	Single Cup Flint Lighter	1
6051	Tip Cleaner	1
1390-3N	LPG Brazing Tip 1-2mm	1
1390-5N	LPG Brazing Tip 2-4mm	1
1390-6N	LPG Brazing Tip 4-6mm	1
1390H	LPG Multi Flame Heating Tip	1
800243	Acetylene/LPG Mixer (550) 10mm	1
808593C	Tip Tube	1
44-8	LPG Cutting Tip #8	1
44-12	LPG Cutting Tip #12	1
44-15	LPG Cutting Tip #15	1
CS0258	Adjustable Spanner	1

GAS KITS - OME8038		
Stock Code	Product Description	Pack Size
OME8038	Oxygen/LPG Kit Omega (With Flashbacks)	1
LSK038	LPG Deluxe Conversion Kit	1

Gas Kit Components		
OMELP35	Omega LPG Reg 0-350 Kpa Rear Entry	1
OMEOX10	Oxy Reg 0-1000 Kpa Twin Gauge to AS4267	1
OME241	Torch handle	1
OME242	Cutting Attachment	1
HA1005-OLP	Twin Oxy/LPG 10m x 5mm assembly fot kit	1
801777	Flip Front Oxy Goggles Shade 5	1
6025	Single Cup Flint Lighter	1
6051	Tip Cleaner	1
1390-3N	LPG Brazing Tip 1-2mm	1
1390-5N	LPG Brazing Tip 2-4mm	1
1390-6N	LPG Brazing Tip 4-6mm	1
1390H	LPG Multi Flame Heating Tip	1
800243	Acetylene/LPG Mixer (550) 10mm	1
808593C	Tip Tube	1
44-8	LPG Cutting Tip #8	1
44-12	LPG Cutting Tip #12	1
44-15	LPG Cutting Tip #15	1
CS0258	Adjustable Spanner	1
FBARAC	FBA Reg End Fuel 0240-050 (Type 83)	1
FBAROX	FBA Oxy Reg End 0240-010 (Type 83)	1
FBATAC	FBA Fuel Gas Torch End (Type 84)	1
FBATOX	FBA Oxy Torch End (Type 84)	1

# GAS EQUIPMENT

BULLFINCH LPG BRAZING KIT



## BF404 - AUTOTORCH BRAZING KIT



## BF-FG4103/04/05

## BF-FG4100 - AUTOTORCH HANDLE

BULLFINCH LPG BRAZING KIT		
Stock Code	Product Description	Pack Size
BF404	Bullfinch LPG Brazing Kit with Torch handle, medium burner, 5 metres LPG gas hose, 350 kpa LPG regulator includes metal security box.	1
	The Autotorch brazing burners can give temperatures of up to 950°C under general conditions and up to 1200°C under ideal conditions only. They can therefore bronze braze under most conditions as well as being able to make faster soft and silver soldering joints.	
BF-FG4100	Auto Torch Handle 5/8 connection Piezo - Electric Ignition system 5/8 UNF LH inlet Connection	1
BF-FG4103	Auto Torch Burning Brazer Small 6.62 MJ/HR @ 400 Kpa LPG	1
BF-FG4104	Auto Torch Burning Brazer Medium 17.13 MJ/HR @ 400 Kpa LPG	1
BF-FG4105	Auto Torch Burning Brazer Large 22.18 MJ/HR @ 400 Kpa LPG	<b>NO LONGER AVAILABLE</b>



**OMECDFL25**



**OMEOX10**



**OMEAR55**



**OMELP35**



**OMEFL25**



**OMEAR55S**



**OMEARFL25**



**OMEAC14**



**OMECD55**



**OMEN210**

## SINGLE STAGE REGULATORS - OMEGA

Stock Code	Product Description	Pack Size
OMEOX10	Oxygen Regulator Twin Gauge 0-1000 Kpa	1
OMEAC14	Acetylene Regulator Twin Gauge 0-140 Kpa	1
OMEAR55	Argon Regulator Twin Gauge 0-34 L/Min	1
OMEAR55S	Argon Regulator Twin Gauge 0-34 L/Min (Side Entry)	1
OMECD55	CO2 Regulator 0-34 L/Min	1
OMELP35	LPG Regulator Single Gauge 0-450 Kpa	1
OMEARFL25	Argon Flowmeter Regulator 0-25 L/Min	1
OMECDFL25	CO2 Flowmeter Regulator 0-25 L/Min	1
OMEN210	Nitrogen Regulator Twin Gauge 0-1000 Kpa	1
OMEFL25	Argon Flowmeter 0-25 L/min	1

### Specifications Details

**Range of Gases** In addition to the standard range of welding and cutting gases ie. Acetylene, Argon, CO<sub>2</sub>, Oxygen and LPG, Omega Premium single stage regulators are also available for a variety of Industrial gases including Air, Nitrogen, Helium and Hydrogen.

**Range of Pressures** Regulators are available for a range of outlet pressures up to 1000 kpa.

**Safety Measures** The single stage regulators have been designed for use with high pressures up to 24,000 Kpa and are fitted with the a tamper proof relief valve. All gauges are fitted with rear blow-out discs to allow safe venting of gas if over pressurisation occurs. The inlet stem has been fitted with a sintered bronze filter to reduce the possibility of combustion by foreign matter at high velocity.

**Standards** The Omega range of regulators have been manufactured in accordance with Australian Standards AS4267-1995.

**Warranty** All Omega Regulators carry a Six (6) month manufacturer's warranty against faulty parts and workmanship  
All components are manufactured to international standards.



## OMECO2H

The CO2 Heater has a body forced from class A brass bar ensures maximum strength, serviceability and safe.

Power rating is at 190W.

Housing is made of in flame-retardant PC, ensuring insulation and flame-retardance.

Standard for the OMECO2H is EN IO2503.



## MG310

This balloon filler has a piston design for quick inflation of balloons.

Attach this filler to the gas bottle and slide balloon over filler nozzle and tilt in any direction to fill.

### CO2 HEATER, BALLON FILLER

Stock Code	Product Description	Pack Size
OMECO2H	Omega CO2 Heater	1
MG310	Balloon Filler	1



## GFT/1

The Gas Flow Tester is able to accurately measure Argon and CO2 gas flow rate on Tig and Mig torches. Scaled from 0-25 lpm.

### GAS FLOW TESTER

Stock Code	Product Description	Pack Size
GFT/1	Gas Flow Tester	1



**FBARAX/FBAROX**



**FBATAC/FBATOX**



**CGR083 - ROLLER GUIDE AND RADIUS BAR**



**801696 - ROLLER GUIDE AND RADIUS BAR**

## FLASHBACK ARRESTORS

Stock Code	Product Description	Pack Size
FBATOX	Flashback Arrestor Oxygen (Torch)	1
FBATAC	Flashback Arrestor Fuel Gas (Torch)	1
FBATOXAC	Flashback Arrestors Oxygen/Fuel Gas 2 Pack (Torch)	1 1
FBARAC	Flashback Arrestor Fuel gas (Regulator)	1
FBAROX	Flashback Arrestors Oxygen (Regulator)	1
FBAROXAC	Flashback Arrestors Oxygen/Fuel Gas 2 Pack (Regulator)	1 1

Specifications	Details
<b>Range of Gases</b>	In addition to the standard range of welding and cutting gases the FlameStop® range of regulator end flashback arrestors are also suitable for use with LPG, Hydrogen and Natural Gas
<b>Safety Measures</b>	The FlameStop® regulator end flashback arrestors consist of a non-return valve, sintered metal flame filter and thermal cut-off
<b>Standards</b>	The FlameStop® range of flashback arrestors have been manufactured and independently tested to conform with Australian Standards AS4603-1999 EN 730
<b>Warranty</b>	All Wescol flashback arrestors carry a twelve (12) month manufacturers warranty against faulty parts and workmanship. All components are manufactured to international standards

\*\* In accordance with the European standard EN 730 1 (2006) and AS4603:1999 "Gas welding equipment - Safety device - Part 1: Incorporating a flame (flashback) - arrestor"

## CIRCLE GUIDE + RADIUS BAR

Stock Code	Product Description	Pack Size
CGR083	Circle Guide + Radius Bar	1
CGR084	Roller Guide	1
CGR085	Radius Bar	1
801696	Circle Guide + Radius Bar	1

# GAS EQUIPMENT

GAS CUTTING TORCH

## GAS CUTTING TORCH

Stock Code	Product Description	Pack Size
MPB52090A	One PC Cutting Torch 90 deg 520mm Acetylene	1
MPB52090P	One PC Cutting Torch 90 deg 520mm LPG	1
MPB52180A	One PC Cutting Torch 180 deg 520mm Acetylene	1
MPB52180P	One PC Cutting Torch 180 deg 520mm LPG	1
MPB10090A	One PC Cutting Torch 90 deg 975mm Acetylene	1
MPB10090P	One PC Cutting Torch 90 deg 975mm LPG	1
MPB10180A	One PC Cutting Torch 180 deg 975mm Acetylene	1
MPB10180P	One PC Cutting Torch 180 deg 975mm LPG	1

The special gas cutting torches come in 520mm or 975mm length.  
Torch head available for 90 degree or 180 degrees

- Triangular Stainless Steel tube design for strength and rigidity
- Tubes braced for extra strength
- Slow control cutting valve from low flow to full. Ideal for Piercing.
- Pre-Heat valves are colour lever and brass handle for strength and reliability
- Cutting torch set up for use with Oxygen/Acetylene or Oxygen/LPG
- Cutting capacity up to 300mm - 90° or 180° Torch Head
- Suitable for use with Type 41 or Type 44 Cutting Tips
- Standard hose connectors (5/8" UNF) for Oxygen or Fuel Gas
- 975mm length ideal for demolition application and operator comfort
- Weight 2.2kg

## HEATING TORCH

Stock Code	Product Description	Pack Size
HE-506	Heating Torch	1

Soldering, brazing, annealing, straightening and bending plates, pipes and bars, preheating in welding, drying mould, asphalt work, weed burning etc.

HE-506 Torch comes with 3 different size burners.  
The HE506-KIT is made up of:

- HE-506 (SP2481) X 1 Heating torch with three burner tips 25 , 35 , 50mm.
- OMELP35 X 1 LPG Regulator.
- HA0505-LP X 1 5m, LPG Hose (hose with ends fitted)

Model	Type	Head Size (mm)	Propane Pressure (kg/cm2)	Length (mm)
HE-506 Kit	W/3 Tips	50.8		500



MPB 520MM 90° OR 180° HEAD



MPB 975MM 90° HEAD



MPB 975MM 180° HEAD



HE506KIT



HE-506

## TORCH HANDLES/ CUTTING ATTACHMENTS

Stock Code	Product Description	Pack Size
OME241	Torch Handle	1
OME242	Cutting Attachment 90° 300mm (Type 41)	1
OME242-180	Cutting Attachment 180° 300mm (Type 41)	1




OME241

- \* Suitable for use with most torch handles on the market
- \* Locking teeth enables attachment to be easily re-positioned
- \* Cutting capacity 150mm
- \* Suitable for use with Type 41 or Type 44 Cutting Tips
- \* Large ridges on hand tightening nut for a better grip when using gloves



OME242



OME242-180



## TROLLEY D

### Trolley D with Extension Arm

- Twin 'D' Size Cylinder Trolley
- Solid Steel Construction
- Extendable Arm
- Bottom Plate Dimensions: 340 x 200mm
- Height: 800mm
- Extends to 1000mm

### Flat packed some assembly required

- Flat packed: 750 x 320 x 90mm
- Weight: 9kg



## TROLLEY E

### Trolley E

- Twin 'E' Size Cylinder Trolley
- Solid Wheels
- Bottom Plate Dimensions: 480 x 260mm
- Height: 1220mm

### Flat packed some assembly required

- Flat packed: 900x750x200mm
- Weight: 15kg



Solid Wheels



Pneumatic Wheels

## TROLLEY G

### Trolley G Solid Wheels

- Twin 'G' Size Cylinder Trolley
- Solid 360mm Wheels
- Bottom Plate Dimensions: 599 x 250mm
- Height: 1380mm

### Trolley G Pneumatic Wheels

- Twin 'G' Size Cylinder Trolley
- Pneumatic Wheels
- Bottom Plate Dimensions: 599 x 250mm
- Height: 1380mm
- Weight: 20kg

### Flat packed some assembly required

**Note:** all trolleys are powder coated and made from ERW steel tubes and HR sheets.

# GAS EQUIPMENT

## CUTTING ATTACHMENT/ TORCH HANDLE/ MIXER SPARE PARTS

Stock Code	Product Description	Pack Size
800772	Inlet Stem + O-Ring/ Filter	1
802110	O-Ring (800772)	10
8592EA	Acetylene Inlet Nut (Type 20)	1
8592EO	Oxygen/ Argon Inlet Nut (Type 10)	1
8592LP	LPG Inlet Nut (POL)	1
8592AIR	Inlet Nut Air(Type 60)	1
8592N2	Inlet Nut Nitrogen (Type 50)	1
800750	Inlet Stem Nitrogen (Type 50)	1
800760	Inlet Stem Air (Type 60)	1
8597AA	Outlet Nipple Acetylene/ LPG (LH)	1
8597AO	Outlet Nipple Oxygen (RH)	1
8597AR	Outlet Nipple Argon (55L/Min)	1
8252324	Cutting Attachment/ Mixers O-Ring Kit (800242, 800243, 44, 45)	1
822502	Tip Nut Type 41/44 (800242)	1
822529	Cutting Valve Assembly (800242)	1
822528	Pre-Heat Oxygen Valve (800242)	1
822570	Oxygen Valve (800241)	1
822571	Fuel Gas Valve (800241)	1
800196	Micro Torch Handle	1
800362	Micro Cutting Attachment	1
H-19-2E	Micro Mixer Acetylene	1
H-19-2S	Micro Mixer LPG	1
800243	Acetylene/ LPG Mixer (550) 10mm	1
800244	Heating Mixer 13mm (570)	1
800245	Heating Mixer 13mm Hi-Flo (574) LPG	1



8592EO



8592EA



8597AA

8597AO

8597AR

8592N2



822502



8252324



822570



822528



800362



800196



800245

800244

800243



H-19-2S



H-19-2E



800772

# GAS EQUIPMENT

CUTTING & GOUGING TIPS

## LP GAS CUTTING TIPS TYPE 44

Stock Code	Product Description	Pack Size
44-6	LPG Cutting Tip 1 - 6mm	1
44-8	LPG Cutting Tip 6 - 12mm	1
44-10	LPG Cutting Tip 10 - 15mm	1
44-12	LPG Cutting Tip 12-20mm	1
44-15	LPG Cutting Tip 20-75mm	1
44-20	LPG Cutting Tip 75-125mm	1
44-24	LPG Cutting Tip 125-200mm	1
44-32	LPG Cutting Tip 200-275mm	1
44-32GS	LPG Gouging Tip Straight 3x6mm	1
44-32GB	LPG Gouging Tip Bent 3x6mm	1
44-48GB	LPG Gouging Tip Bent 5x10mm	1



## ACETYLENE CUTTING TIPS TYPE 41

## ACETYLENE CUTTING TIPS TYPE 41

Stock Code	Product Description	Pack Size
41-6	Acetylene Cutting Tip 1 - 6mm	1
41-8	Acetylene Cutting Tip 6 - 12mm	1
41-10	Acetylene Cutting Tip 10 - 15mm	1
41-12	Acetylene Cutting Tip 15 - 20mm	1
41-15	Acetylene Cutting Tip 20 - 75mm	1
41-20	Acetylene Cutting Tip 75 - 125mm	1
41-24	Acetylene Cutting Tip 125 - 200mm	1
41-32	Acetylene Cutting Tip 200 - 275mm	1
41-32GS	Acetylene Gouging Tip Straight 3x6mm	1
41-32GB	Acetylene Gouging Tip Bent 3x6mm	1
41-48GB	Acetylene Gouging Tip Bent 5x10mm	1
41-64GB	Acetylene Gouging Tip Bent 6x12mm	1

## LPG 3 SEAT CUTTING TIPS

Stock Code	Product Description	Pack Size
CT54-00	LPG Cutting Tip 0 - 5mm	1
CT54-0	LPG Cutting Tip 5 - 10mm	1
CT54-1	LPG Cutting Tip 10 - 15mm	1
CT54-2	LPG Cutting Tip 15 - 30mm	1
CT54-3	LPG Cutting Tip 30 - 40mm	1
CT54-4	LPG Cutting Tip 40 - 50mm	1
CT54-5	LPG Cutting Tip 50 - 100mm	1
CT54-6	LPG Cutting Tip 100 - 150mm	1
CT54-7	LPG Cutting Tip 150 - 250mm	1
CT54-8	LPG Cutting Tip 250 - 300mm	1



## ACETYLENE 3 SEAT CUTTING TIPS

Stock Code	Product Description	Pack Size
CT51-00	Acetylene Cutting Tip 0 - 5mm	1
CT51-0	Acetylene Cutting Tip 5 - 10mm	1
CT51-1	Acetylene Cutting Tip 10 - 15mm	1
CT51-2	Acetylene Cutting Tip 15 - 30mm	1
CT51-3	Acetylene Cutting Tip 30 - 40mm	1
CT51-4	Acetylene Cutting Tip 40 - 50mm	1
CT51-5	Acetylene Cutting Tip 50 - 100mm	1
CT51-6	Acetylene Cutting Tip 100 - 150mm	1
CT51-7	Acetylene Cutting Tip 150 - 250mm	1
CT51-8	Acetylene Cutting Tip 250 - 300mm	1

## LPG CUTTING TIPS 44



## ACETYLENE CUTTING TIP 3 SEAT 51 SERIES



## LPG CUTTING TIP 3 SEAT 54 SERIES



## 41 AND 44-32GS-32GB



**SWT COMPOSITE**



**1390-N GROUP**



**808593C**

**853721**

**80D50C**



**HB700S**



**HB450S**



**SHA1-2**



**7NH/8NH**



**SHP1-4**

## ACETYLENE GOUGING TIPS TYPE 44

Stock Code	Product Description	Pack Size
SWT6	Acetylene Welding Tip 0 - 0.5mm	1
SWT8	Acetylene Welding Tip 0.5 - 1mm	1
SWT10	Acetylene Welding Tip 1 - 2mm	1
SWT12	Acetylene Welding Tip 2 - 4mm	1
SWT15	Acetylene Welding Tip 4 - 6mm	1
SWT20	Acetylene Welding Tip 6 - 9mm	1
SWT26	Acetylene Welding Tip 9 - 12mm	1

## LP GAS BRAZING TIPS

Stock Code	Product Description	Pack Size
1390-3N	LPG Brazing Tip 1 - 2mm	1
1390-5N	LPG Brazing Tip 2 - 4mm	1
1390-6N	LPG Brazing Tip 4 - 6mm	1
1390-8N	LPG Brazing Tip 6 - 9mm	1
1390-10N	LPG Brazing Tip 9 - 12mm	1
1390H	LPG Multiflame Heating Tip	1

## LPG BRAZING TIPS (HARRIS® STYLE)

Stock Code	Product Description	Pack Size
80D50C	Brazing Tip Tube (Micro Mixers)	1
808593C	Braing Yip Tube (800243 Mixer)	1

## HEATING BARRELS

Stock Code	Product Description	Pack Size
HB450S	Super Heating Barrel 400mm Stainless Steel Bent	1
HB700S	Super Heating Barrel 700mm Stainless Steel Bent	1

## SUPER HEATING TIPS - ACETYLENE

Stock Code	Product Description	Pack Size
SHA1	Acetylene Super Heating Tip 8 x 12	1
SHA2	Acetylene Super Heating Tip 12 x 12	1
853721	Acetylene Heating Tip + Barrel 8 x 12	1

## SUPER HEATING TIPS - LPG

Stock Code	Product Description	Pack Size
SHP1	LPG Super Heating Tip 18 x 12	1
SHP2	LPG Super Heating Tip 36 x 12	1
SHP3	LPG Super Heating Tip 48 x 12 Large Flow	1
SHP4	LPG Super Heating Tip 48 x 15 Large Flow	1

## 6290-NH SERIES

Stock Code	Product Description	Pack Size
6290-7NH	LPG Cutting Tip 275-300mm	1
6290-8NH	LPG Cutting Tip 300-380mm	1

# GAS EQUIPMENT

WELDING RUBBER HOSE



**WH10005-AC**



**WH10005-LP**



**WH10005-OLP**



**WH10005-AR**



**WH10005-OA**



**WH10005-OX**



**WH HOSE ASSEMBLY 2 SETS**

## WELDING HOSE 5MM

Stock Code	Product Description	Pack Size
WH10005-OA	Oxy/ Acetylene Twin Hose 5mm Per Metre	100
WH10005-OLP	Oxy/ LPG Twin Hose 5mm Per Metre	100
WH10005-OX	Oxygen Hose 5mm Single Per Metre	100
WH10005-AC	Acetylene Hose 5mm Single Per Metre	100
WH10005-LP	LPG Hose 5mm Single Per Metre	100
WH10005-AR	Argon Hose 5mm Single Per Metre	100

*Cut length attract a 20% surcharge*

## WELDING HOSE 10MM

Stock Code	Product Description	Pack Size
WH10010-AC	Single Hose Acet 100m x 10mm	100
WH10010-OX	Oxygen Hose 10mm Single per Metre	100
WH10010-LP	LPG Hose 10mm Single per Metre	100
WH10010-OLP	Oxy/LPG Twin Hose 10mm per Metre	100

*Cut length attract a 20% surcharge*

## WELDING HOSE ASSEMBLIES OXY/ACETYLENE

Stock Code	Product Description	Pack Size
HA0505-OA	Oxy / Acetylene Twin Hose 5 Metre	1
HA1005-OA	Oxy / Acetylene Twin Hose 10 Metre	1
HA1505-OA	Oxy / Acetylene Twin Hose 15 Metre	1
HA2005-OA	Oxy / Acetylene Twin Hose 20 Metre	1
HA2505-OA	Oxy / Acetylene Twin Hose 25 Metre	1
HA3005-OA	Oxy / Acetylene Twin Hose 30 Metre	1

## WELDING HOSE ASSEMBLIES OXY/LPG

Stock Code	Product Description	Pack Size
HA0505-OLP	Oxy / LPG Twin Hose 5 Metre 5mm Hose	1
HA1005-OLP	Oxy / LPG Twin Hose 10 Metre 5mm Hose	1
HA1505-OLP	Oxy / LPG Twin Hose 15 Metre 5mm Hose	1
HA2005-OLP	Oxy / LPG Twin Hose 20 Metre 5mm Hose	1
HA3005-OLP	Oxy / LPG Twin Hose 30 Metre 5mm Hose	1
HA1010-OLP	Oxy / LPG Twin Hose 10 Metre 10mm Hose	1
HA1510-OLP	Oxy / LPG Twin Hose 15 Metre 10mm Hose	1
HA2010-OLP	Oxy / LPG Twin Hose 20 Metre 10mm Hose	1
HA2510-OLP	Oxy / LPG Twin Hose 25 Metre 10mm Hose	1
HA3005-OLP	Oxy / LPG Twin Hose 30 Metre 10mm Hose	1

## WELDING HOSE ASSEMBLIES LPG 5MM

Stock Code	Product Description	Pack Size
HA0505LP	Welding Hose Assemblies LPG 5m x 5mm	1

*Customised hose assemblies can be manufactured to your requirements*

# GAS EQUIPMENT



37A02-V



37A02

Y PIECES		
Stock Code	Product Description	Pack Size
37A02	Y Piece Argon/ Oxygen	1
37AA2	Y Piece Fuel Gas	1
37A02-V	Y piece Argon/Oxygen with Valve splitter connector	1
37AA2-V	Y piece Fuel Gas with Valve splitter connector	1

The above both with 5/8 UNF Australian Standard



37AA2-V



37AA2

WELDING HOSE FITTINGS/ ADAPTORS		
Stock Code	Product Description	Pack Size
LP112	Welding Hose Fitting 5mm RH (re-usable)	1
LP240	Welding Hose Fitting 5mm LH (re-usable)	1
LP137	Welding Hose Fitting 10mm RH (re-usable)	1
LP242	Welding Hose Fitting 10mm LH (re-usable)	1
LP265	Welding Hose Joiner 5mm	1
WB34	Welding Hose Coupling RH	1
WB35	Welding Hose Coupling LH	1
TA34	Welding Hose Adaptor (RH) 90°	1
TA35	Welding Hose Adaptor (LH) 90°	1
TA54	Welding Hose Adaptor (RH) 45°	1
TA55	Welding Hose Adaptor (LH) 45°	1
HSRH10	10mm Hose Set with Right Hand Nut, Nipple & Ferrule	Pk
HSLH10	10mm Hose Set with Left Hand Nut, Nipple & Ferrule	Pk
HSRH5	5mm Hose Set with Right Hand Nut, Nipple & Ferrule	Pk
HSLH5	5mm Hose Set with Left Hand Nut, Nipple & Ferrule	Pk
MHF686N	5mm Double Sided Hose Joiner Pack of 5	Pk

WELDING HOSE FITTINGS / ADAPTORS



WB34



WB35



TA34



TA35



LP112



LP240



LP137



LP242



TA54



TA55



LP265



MHF686N

# GAS EQUIPMENT

NIPPLES AND NUTS FOR GAS FITTINGS



**949-AO**



**949AA**



**949-AOKIT**



**949-AAKIT**



**959-AO**



**959AA**



**959-AOKIT**



**959-AAKIT**



**969-AOKIT**



**969-AAKIT**

## NIPPLES AND NUTS FOR GAS FITTINGS

### 949-AO

<b>Nipple AO-26140A</b>	Nipple To Suit 5mm Hose
<b>Nut AO-24710A</b>	Nut 5/8 UNF L/Hand Female (Oxy Gas)

### 949-AA

<b>Nipple AO-26140A</b>	Nipple To Suit 5mm Hose
<b>Nut AO-24730A</b>	Nut 5/8 UNF L/Hand Female (Fuel Gas)

### 949-AOKIT (OXY KIT 5MM)

<b>Nipple AO-26140A</b>	Nipple To Suit 5mm Hose
<b>Nut AO-24710A</b>	Nut 5/8 UNF R/Hand Female (Oxy Gas)
<b>Oetiker Clamp 16700010</b>	Oetiker 10 8-13mm Single Ear Clamp

### 949-AAKIT (FUEL GAS KIT 5MM)

<b>Nipple AO-26140A</b>	Nipple To Suit 5mm Hose
<b>Nut AO-24730A</b>	Nut 5/8 UNF L/Hand Female (Fuel Gas)
<b>Oetiker Clamp 16700010</b>	Oetiker 10 8-13mm Single Ear Clamp

### 959-AO

<b>Nipple AO-26130</b>	Nipple To Suit 5mm Hose
<b>Nut AO-24710A</b>	Nut 5/8 UNF R/Hand Female (Oxy Gas)

### 959-AA

<b>Nipple AO-26130</b>	Nipple 32mm long x 5.86mm diam.
<b>Nut AO-24730A</b>	Nipple to Suit 5mm Hose Nut 5/8 UNF L/Hand Female (Fuel Gas)

### 959-AOKIT (OXY KIT 5MM)

<b>Nipple AO-26130</b>	Nipple To Suit 5mm Hose
<b>Nut AO-24710A</b>	Nut 5/8 UNF R/Hand Female (Oxy Gas)
<b>Oetiker Clamp 16700010</b>	Oetiker 10 8-13mm Single Ear Clamp

### 959-AAKIT (FUEL GAS KIT 5MM)

<b>Nipple AO-26130</b>	Nipple 32mm long x 5.86mm diam. Nipple To Suit 5mm Hose
<b>Nut AO-24730A</b>	Nut 5/8 UNF L/Hand Female (Fuel Gas)
<b>Oetiker Clamp 16700010</b>	Oetiker 10 8-13mm Single Ear Clamp

### 969-AOKIT (OXY KIT 10MM)


<b>Nipple AO-26150</b>	Nipple 40.8mm Long x 10.3mm Diam. ID 6.0mm Nipple To Suit 10mm OXY Hose
<b>Nut AO-24710A</b>	Nut 5/8 UNF R/Hand Female (Oxy Gas)
<b>Oetiker Clamp 16700020</b>	Oetiker 15.3-18.5mm Single Ear Clamp (Stainless)

### 969-AAKIT (FUEL GAS KIT 10MM)

<b>Nipple AO-26150</b>	Nipple 40.8mm Long x 10.3mm Diam. ID 6.0mm Nipple To Suit 10mm OXY Hose
<b>Nut AO-24730A</b>	Nut 5/8 UNF R/Hand Female (Oxy Gas)
<b>Oetiker Clamp 16700020</b>	Oetiker 15.3-18.5mm Single Ear Clamp (Stainless)

Torchmaster Australia is no way affiliated with any brands, trademark and manufacturers listed in our catalogue.

All brands, trademarks and part numbers are the property of their respective owners. They are listed purely for customer convenience.



## Use of the Ezyfit

### EZYFIT

- This helps to fit LP112 (Welding Hose Fitting 5mm RH (reusable) and LP240 (Welding Hose Fitting 5mm LH (reusable) quickly.
- It can also fit 10mm hose fittings.
- Only need a spanner for gripping and tightening.
- There is a slot on top of the Ezyfit for a blade to cut the hose into the correct offset length to make a hose assembly.
- There are other cutting guides for all even ended hose connections.
- It does not leave rubber plugs in hose.
- The internal guides position the hose.
- The Ezyfit can be held in a vice or be bolted to a work bench
- It fits right and left hand connections in one operation.

Parts code needed for the fittings:

LP112	Welding Hose Fitting 5mm RH (re-usable)
AO-24710A	Nut 5/8 UNF Right Hand Female (oxygen)

LP240	Welding Hose Fitting 5mm LH (re-usable)
AO-247310A	Nut 5/8 UNF Left Hand Female (fuel Gas)



### CRIMPER

## Use of the Crimper

The external crimper is an easy to use piece of equipment in that it can be transported around the warehouse or taken in a vehicle and used in the field.

This assumes that you also have the external crimp with the nut and nipple to fit.



OMEFR10



OMEFR05

### WELDING HOSE TOOLS

Stock Code	Product Description	Pack Size
EZYFIT	Welding Hose Re-usable Fitting Tool (Hose Assembly)	1
CRIMPER	Welding Hose Crimped Fitting Tool	1

### WELDING HOSE FERRULES AND NUTS

Stock Code	Product Description	Pack Size
OMEFR05	Ferrule to suit 5mm Hose	10
OMEFR10	Ferrule to suit 10mm Hose	10

# GAS EQUIPMENT

FLINT LIGHTERS AND TIP CLEANERS / DRILLS



**MI-SL-PISTOL**



**FULM0008**



**6025**



**6024**



**6051XL / 6051 L / 6051**



**6026**



**6027**



**N1012**



**PIEZO LIGHTER**

## FLINT LIGHTERS

Stock Code	Product Description	Pack Size
FULM0008	Piezo Flint Lighter	1
PIEZO LIGHTER	Push Button Electronic Lighter (Piezo) 175mm	1
6024	Triple Flint Lighter	1
6025	Single Cup Flint Lighter	1
6026	Triple Flint Refill	1
6027	Single Flint Refill (5 Pack)	PK
MI-SL-PISTOL	Pistol Style Flint Lighter	1
MI-SL-PISTOL-X	Spare Flint for Pistol Type Spark Lighter (10 in a pack)	PK



**CS0258**

## COMBINATION SPANNER AND WRENCHES

Stock Code	Product Description	Pack Size
CS0258	Adjustable Spanner 250mm long and jaws open to 30mm wide	1
CS0258P	Combination Premium Spanner and Cylinder Key	1
OME90003	Combination Wrench - 10 way.	1



**CS0258P**

## TIP CLEANERS/ DRILLS

Stock Code	Product Description	Pack Size
N1012	Tip Drill Set	1
6051	Tip Cleaners - 80mm x 21mm	10
6051L	Tip Cleaner Long - 80mm x 28mm	10
6051XL	Tip Cleaner X-Long - 130mm x 28mm	10



**OME90003**

Torchmaster Australia is no way affiliated with any brands, trademark and manufacturers listed in our catalogue.

All brands, trademarks and part numbers are the property of their respective owners. They are listed purely for customer convenience.