



SAFETY

Auto Darkening Welding Helmets 116

Welding Helmets and Accessories 118

Welding Lens 119

Welding Goggles & Faceshields 120

Welder's Clothing 121

Welders Leggings & Spats, Knee Pads, Pillows and Cable Covers 126

Welding Curtains 127

Welding Blankets 128

Welding Gloves and Tig Fingers 129





XR9581A True Vision Helmet, Black

Specifications

Item Model	XR9581A
Welding Filter Model	YXE-9581 PRO (True Colour)
Viewing Area	9.8 x 8.7cm
Outer Lens	XR750 - 13.8 x 11.8cm
Inner Lens	XR760 - 10.5 x 9.2cm
Grinding Function	Yes, Internal
Shade State	DIN4/ 5-8/ 9-13
Shade Control	Internal Stepless Variable
Sensitivity Control	Internal Stepless Variable
Arc Sensor	4
Battery Replaceable	1 x CR2450
Warranty	24 Months



XR938H/BK True Vision Black 4 Sensors

Specifications

Item Model	XR938H/BK
Welding Filter Model	YXE-858E PRO (True Colour)
Viewing Area	10 x 6cm
Outer Lens	XR720 - 11.5 x 10.4cm
Inner Lens	XR710 - 10 x 6.3cm
Grinding Function	Yes, External
Shade State	DIN4/ 5-8/ 9-13
Shade Control	External Stepless Variable
Sensitivity Control	External Stepless Variable
Arc Sensor	4
Battery Replaceable	1 x CR2450
Warranty	24 Months



XR938H/BL True Vision Blue 4 Sensors

TRUE COLOUR LENS

STANDARD LENS





XR938H/E



XR938H/F

TECHNICAL DATA

Viewing Area	10 x 5.3cm / 3.94" x 2.08"
Cartridge Size	11cm x 9cm / 4.33" x 3.54"
Up/IRE Protection	Permanent Shade DIN16
Light State	DIN Shade 4
Dark State	DIN Shade 5 to 13 Variable
Power Supply	Built in solar cells with replaceable batteries
Power On/Off	Fully Automatic
Switching Time Light to dark	1/30,000 seconds
Dark to Light	0.1-1.0 seconds (External variable)
Operating Temp	-10°C to +60°C (14°F to 140°F)
Storage Temp	-20°C to +70°C (-4°F to -158°F)
Helmet Material	High Impact Polyamide Nylon
Total Weight	470g
Minimum Amperage Required	5A

FEATURES

- True colour lens
- Slim and lightweight
- Automatic light adjustment from light to dark in 1/30,000th of a second
- Shade control from DIN 5-13
- Variable sensitivity
- Grinding mode
- Variable delay
- Viewing area 10 x 5.3cm (3.94" x 2.08")
- Full face coverage
- Suitable for TIG welding
- Automatic power on/off
- Battery life expectancy 2 years
- UV/IR protection up to shade DIN 16
- 14 months warranty
- Outer Lens - XR720 - 11.5x 10.4cm
- Outer Lens - XR730 - 10.5 x 5.8cm

PARWELD TRUE COLOUR WELDING HELMET

Stock Code	Product Description	Pack Size
XR938H/E	True Colour Welding Helmet Eagle	1
XR938H/F	True Colour Welding Helmet Flame	1



633PP

- Welding Helmet Flip Front 10.5 x 5.1cm
- 30 to a carton
- Lens used: 6950 - Green welding lens 5.1 x 10.8cm
- Shade 10
- CR39-1080 - Clear Cover Lens 5.1 x 10.8cm

Standards EN175, UKCA, ANSI Z87.1, Z94.3
From Blue Eagle manufacturer



733PP



6021HH




Economy head band,
not flame resistant

6021SBV

WELDING HELMETS & ACCESSORIES

Stock Code	Product Description	Pack Size
633PP	Welding Helmet Flip Front	1
733PP	Wide Lens Welding Helmet 9x11cm	1
6021HH	Welding Helmet Hand Held	1
6021HA	Welding Helmet Harness	1
6021LC	Welding Helmet Lens Clip	1
6021SBV	Black Velcro sweatband - fits all harnesses	1
AP3310	Welding Helmet Sweatband	1
AP3200	Hard Hat Sweatband	1



Flame retardant absorbent
100% fleecy cotton.

Velcro closure for easy
fasten and remove.



Perfect and
replacement of
most brands'
helmet & headgear



AP3310



Flame retardant absorbent
100% fleecy cotton.

Hook & loop closure to fit
most headgear



NEW!



Perfect and replacement of most
brands' hardhat & headgear

Hard Hat Sweatband, L 25cm, W 9.5cm. One size fits all


AP3200



WH8000IL/WH8000OL



6949 TO 6952



GL LENSES



10801

CLEAR COVER LENS AUTO HELMETS

Stock Code	Product Description	Pack Size
WH8000IL	Clear Cover Lens Inner 103x54x1mm (WH8000)	5
WH8000OL	Clear Cover Lens Outer 120x98x1mm (WH8000)	5
GYBICL	Clear Cover Lens Inner 105x62x1mm (HTS)	5
GYBOCL	Clear Cover Lens Outer 147x119x2mm (HTS)	5
XR420	Clear Cover Lens (Inner) 90x110x1mm (Parweld)	10
XR430	Clear Cover Lens (Inner) 103x54x1mm (Parweld)	10
XR520	Clear Lens (Outer) 114x90x1mm for XR915	10
XR530	Clear Cover Lens (Inner) 105x46x1mm for XR915	10
XR9630	Clear Cover Lens (Inner) XR916 (Parweld)	10
XR6MLC	Magnification Lens Holder XR916	1 Pair
XR720	Parweld XR936 Front Cover Lens 114x104mm	10
XR730	Parweld XR936 Inner Cover Lens 105x58mm	10
XR740	Parweld Adjustable Head Band for XR 936	1

GREEN WELDING LENS SHADED

Stock Code	Product Description	Pack Size
6945	Welding Lens Green 51x108mm Shade 5	10
6948	Welding Lens Green 51x108mm Shade 8	10
6949	Welding Lens Green 51x108mm Shade 9	10
6950	Welding Lens Green 51x108mm Shade 10	10
6951	Welding Lens Green 51x108mm Shade 11	10
6952	Welding Lens Green 51x108mm Shade 12	10
6953	Welding Lens Green 51x108mm Shade 13	10

GOLD WELDING LENS SHADED

Stock Code	Product Description	Pack Size
GL6949	Welding Lens Gold 51x108mm Shade 9	1
GL6950	Welding Lens Gold 51x108mm Shade 10	1
GL6951	Welding Lens Gold 51x108mm Shade 11	1
GL6952	Welding Lens Gold 51x108mm Shade 12	1

LARGE WELDING LENS SHADED

Stock Code	Product Description	Pack Size
6949L	Welding Lens Green 90x110mm Shade 9	10
6950L	Welding Lens Green 90x110mm Shade 10	10
6951L	Welding Lens Green 90x110mm Shade 11	10
6952L	Welding Lens Green 90x110mm Shade 12	10
6953L	Welding Lens Green 90x110mm Shade 13	10

CLEAR WELDING LENS

Stock Code	Product Description	Pack Size
1080	Welding Lens Clear 51x108mm	10
CR39-1080	Clear Cover Lens 51x108mm	10
1080PC	Polycarbonate Lens (Chipping) 51x108x2mm	10

MAGNIFICATION LENS 108X51MM

Stock Code	Product Description	Pack Size
1080.75	Magnification Lens 51x108mm 0.75 Diopter	1
10801.0	Magnification Lens 51x108mm 1.0 Diopter	1
10801.5	Magnification Lens 51x108mm 1.5 Diopter	1
10802.0	Magnification Lens 51x108mm 2.0 Diopter	1
10802.25	Magnification Lens 51x108mm 2.25 Diopter	1
10802.5	Magnification Lens 51x108mm 2.5 Diopter	1

SAFETY

WELDING GOGGLES & FACESHIELDS



801777



80177C/801775



800FSM



800FS5



800FSC/5



OMESG00



800FC



800F5



OMESG05



800BGH



6021HABL

WELDING GOGGLES

Stock Code	Product Description	Pack Size
801777	Welding Goggles Flip-Front	1
80177C	Clear Goggle Lens 5cm (Pair)	1
801775	Shade 5 Goggle Lens 5cm (Pair)	1
6021HABL	Welding/ Visor Harness	1

FACESHIELDS

Stock Code	Product Description	Pack Size
800FSC	Faceshield + Clear Visor	1
800FS5	Faceshield + Shade 5 Visor	1

SAFETY SPECTACLES

Stock Code	Product Description	Pack Size
OMEG00	Clear Welding Spectacles	Box of 12
OMEG05	Shade 5 Welding Spectacles	Box of 12

FACESHIELDS - ACCESSORIES

Stock Code	Product Description	Pack Size
800BGH	Browguard	1
800FC	Clear Visor	1
800F5	Shade 5 Visor	1
800FSM	Faceshield/Mesh Visor/Harness Complete	1
800FM	Visor Mesh Type	1

** New Safety Glasses have approved the CE and ANSI certificates.



Adjustable Cuff with Dielectric and Insulated Snaps

Sizing chart

Size	Length	Sleeve	Chest
L	70	59	135
XL	72	61	138
XXL	74	63	141
XXXL	76	65	144

Size in Centimeter (cm)

AP2530

Proban Jacket Refl Combo Hi Viz BL Hose Access. Size M to 4 XL

76cm length of the jacket



Cool Flame Retardant Jacket, available in the colour combination of orange, blue and black.

Sleeves with select split cowhide, superior heat and abrasion resistant.

Body with flame retardant sateen, which will retain their flame retardancy for dozens of home washing.

Sewing with Dupont KEVLAR® thread and double locked stitches to minimise seams burnout.

Fire dielectric and insulated snaps front system with spatter guide layer enhances fit and safety.



Comes with Hi-Viz straps and back has hose accessibility feature



Roll up collar

Sizing chart

Size	Length	Sleeve	Chest
L	70	59	135
XL	72	61	138
XXL	74	63	141
XXXL	76	65	144

Size in Centimeter (cm)

AP2630HA

WELDERS JACKETS

Stock Code	Product Description	Pack Size
AP2530	Proban Jacket Leather Sleeves Blue/ Brown L-6XL	1
AP2630HA	Reflective Combo Jacket High Viz Blue Large (HA) L to 4XL	1

HEAVY DUTY BLACK AND BROWN LEATHER JACKETS

Sizes M to 6XL



Brown



Black



Inside Pocket

- Split cowhide leather for maximum durability and heavy duty protection.
- Double locked stitched with Dupont KEVLAR® thread.
- FR cotton collar provides sweat absorption and extra comfort.
- Reinforced double leather front, insulated snaps & velcro closure for safety.
- Scribe pocket for pencils, soapstones and paint markers. Inside pocket for personal items.
- Adjustable cuffs for better fit.

Sizing chart

Size	Length	Sleeve	Chest
L	70	59	135
XL	72	61	138
XXL	74	63	141
XXXL	76	65	144

Size in Centimeter (cm)

AP5130/ AP5130BK



- 100% cotton Flame Retardant sateen
- Fire dielectric and insulated snaps to enhance fit and safety
- Perfect for the worker who works under highly flammable situations

AP6830

WELDERS JACKETS

Stock Code	Product Description	Pack Size
AP5130	Leather Welders Jacket Charcoal Brown M-6XL	1
AP5130BK	Leather Welders Jacket Charcoal Black M-3XL	1
AP6830	Proban Welders Jacket Blue M-3XL	1



Sizing chart

Size	Length	Chest	Waist	Sleeve
Medium	71.00	132.09	127.00	58.42
Large	73.66	137.16	132.08	59.69
XL	76.20	142.24	134.62	60.96
2XL	76.20	144.78	137.16	63.50
3XL	76.20	149.86	139.70	66.04
4XL	77.50	152.40	142.24	68.60
5XL	78.75	155.00	143.50	69.85
6XL	80.00	157.50	144.80	71.12

Size in Centimeter (cm)

OMEJBKM

- Jacket tested as per ISO 11611 - 2015
- Pass - Class 2
- Top Quality Shoulder Split Leather
- 4 ply Kevlar Stiche/Snap Button/Inside Pocket

WELDER JACKETS

Stock Code	Product Description	Pack Size
OMEJBKM	Omega Welding Jacket Black Medium	1
OMEJBKL	Omega Welding Jacket Black Large	1
OMEJBKXL	Omega Welding Jacket Black Extra Large	1
OMEJBK2XL	Omega Welding Jacket Black 2 Extra Large	1
OMEJBK3XL	Omega Welding Jacket Black 3 Extra Large	1
OMEJBK4XL	Omega Welding Jacket Black 4 Extra Large	1
OMEJBK5XL	Omega Welding Jacket Black 5 Extra Large	1
OMEJBK6XL	Omega Welding Jacket Black 6 Extra Large	1



AP9101

Charcoal Brown Leather Sleeves

- Select split cowhide leather
- Fully Dupont KEVLAR® thread used
- 40cm long
- Elastic band for the upper arm and cuff



AP9119

Golden Leather Sleeves

- 46cm long
- Elastic band for the cuff
- Hook and loop upper arm strap
- Fully Dupont KEVLAR® thread used

WELDER SLEEVES

Stock Code	Product Description	Pack Size
AP9101	Leather Welders Sleeves 40cm Charcoal Brown	1
AP9119	Golden Leather Welders Sleeves 46cm	1

WELDING HOODS

Stock Code	Product Description	Pack Size
AP3000C	Leather Welding Hood Charcoal Brown	1
AP6680	Proban Welding Hood Royal Blue	1



AP3000C

Charcoal Brown Cowhide Full Protection Hood 39cm height x 50cm girth

- Side split cowhide outer shell.
- Heat and Abrasion resistant.
- Cotton Mesh lining with concealed seams.
- Good ventilation and comfort.
- Longer length cape to protect the neck.



AP6680

Royal Blue FR Full Protective Hood 39cm height, 50cm girth

- At the back, Velcro Strap and buckle outside, easy to put on safety helmet and face shield.
- Washable Flame Retardant cotton sateen for the outer shell, preventing welding splatter.
- FR Sateen could retain their flame retardancy for dozens of home washing.
- Cotton mesh lining has concealed seams.
- Magic sticker closure.
- Velcro straps and buckle around the head.



Leather Welders Apron Charcoal Brown 61cm x 61cm | 50 to a carton

- Apron for waist protection
- Made of select split cowhide for maximum durability and heavy duty protection
- Sewing with strength and flame retardant Dupont KEVLAR® thread
- 63cm x 60cm

AP6024



Leather Welders Apron Charcoal Brown 90cm x 58cm

Sizing chart

Size	Length	Width
L	90cm	58cm
XL	106cm	63cm

All the cowhide leather aprons are CE approved
EN11611:2015 Class 2 A1

AP6100L AND AP6100XL



Leather Long Sleeve Welders Apron Gold

94cm x 72cm

- Leather Protective Apron.
- Select Split cowhide for maximum durability and heavy duty protection.
- Sewing with strength and flame retardant Dupont KEVLAR® thread.
- All the apron items are applicable for the waistline between 61cm and 97cm.
- Equipped with 2.5cm width sateen sliding length adjuster with quick release buckle at the back.

Length of apron 107cm | For waistline between 61cm to 97cm

Standard to EN ISO 11611-2015

AP6200



Royal Blue FR Sateen Bib Apron

Sateen sliding length with a quick-release buckle on the back

Sizing chart

Size	Long	Wide
L	91cm	61cm
XL	106cm	63cm

WELDING APRONS

Stock Code	Product Description	Pack Size
AP6100L	Leather Welders Apron Charcoal Brown 90cm x 58cm	1
AP6100XL	Leather Welders Apron Charcoal Brown 106cm x 63cm	1
AP6024	Leather Welder Apron Charcoal Brown 61cm x 61cm	1
AP6200L	Leather Long Sleeve Welders Apron Gold 94cm x 72cm	1
AP7036L	Proban Welders Apron Blue 91cm x 61cm	1
AP7036XL	Proban Welders Apron Blue 106cm x 63cm	1

AP7036L/AP7036XL



Coffee Leather Chaps

- Side split cowhide leather.
- Equipped sliding quick release buckle around the waist, knees and calves.
- Help to protect against splash from front when welding.

WELDING CHAPS

Stock Code	Product Description	Pack Size
AP6042L	Coffee Leather Chaps 68cm x 91cm	1
AP6042XL	Coffee Leather Chaps 68cm x 107cm	1

AP6042



AP9100

GOLD LEATHER SHORT LEGGINGS AND SPATS

Elastic straps under shoes to secure fitting. KEVLAR® stitched



AP9200

CHROME LEATHER LONG LEGGINGS AND SPATS

Lengthened legging design for extra leg protection



AP9100T

SPATS WITH BUCKLE CLOSURE


Made with special split cowhide hard shoulder leather cover, with buckle closure. 15cm long

SPLIT COWHIDE LEATHER KNEE PADS



All sewn with KEVLAR® thread offer greater protection against sparks and abrasion

Elastic strap and hook-loop fastener to offer easy fastening and quick release



Thicken Sponge insert offers the most comfort and protection



AP6650



AP6640



ZC4-22

WELDERS LEGGINGS & SPATS, KNEE PADS AND PILLOWS

Stock Code	Product Description	Pack Size
AP9100	Gold Leather Short Leggings and Spats	1
AP9200	Chrome Leather Long Leggings and Spats	1
AP9100T	Spats with Buckle Closure	1
AP6640	Grey Leather Pillow 40.6x40.6x10.15cm	1
AP6640B	Grey Leather Pillow 50 x 50 x 10.15 cm	1
AP6641	Aluminised Welding Pillow 40.6x40.6x15cm	1
AP6650	Split Cowhide Leather Knee Pads Length 22cm, Width 15cm	1

LEATHER COVERS

Stock Code	Product Description	Pack Size
APCCT412	Leather Cable Cover (Velcro) 4" x 12'	1
APCCT415	Leather Cable Cover (Velcro) 4" x 15'	1
APCCT422	Leather Cable Cover (Velcro) 4" x 22'	1
APCCT425	Leather Cable Cover (Velcro) 4" x 25'	1
APCCT425-100M	Leather Cable Cover (Velcro) 4" x 328' - 100m	1
APCCT625	Leather Cable Cover (Velcro) 6" x 25'	1
APCCT625-100M	Leather Cable Cover (Velcro) 6" x 328' - 100m	1
ZC3-10	Zipper Cover for Torch Small 3 Metre	1
ZC3-22	Zipper Cover for Torch Small 6.8 Metre	1
ZC4-10	Zipper Cover for Torch Large 3 Metre	1
ZC4-12	Zipper Cover for Torch Large 3.8 Metre	1
ZC4-22	Zipper Cover for Torch Large 6.8 Metre	1



WELDING SCREEN GREEN ON FRAME WITH WHEELS



WELDING SCREEN RED ON FRAME WITH WHEELS

WELDING CURTAINS - GREEN 1.8 METRE DROP

Stock Code	Product Description	Pack Size
AP1813GS	Welding Curtain 1.8 x 1.3m Green +Studs	1
AP1818GS	Welding Curtain 1.8 x 1.8m Green +Studs	1
AP1820GS	Welding Curtain 1.8 x 2.0m Green +Studs	1
AP1827GS	Welding Curtain 1.8 x 2.7m Green +Studs	1
AP1834GS	Welding Curtain 1.8 x 3.4m Green +Studs	1
AP1841GS	Welding Curtain 1.8 x 4.1m Green +Studs	1
AP1848GS	Welding Curtain 1.8 x 4.8m Green +Studs	1
AP1855GS	Welding Curtain 1.8 x 5.5m Green +Studs	1
AP2020GS	Welding Curtain 2.0 x 2.0m Green +Studs	1

WELDING CURTAINS - RED 1.8 METRE DROP

Stock Code	Product Description	Pack Size
AP1813RS	Welding Curtain 1.8 x 1.3m Red +Studs	1
AP1818RS	Welding Curtain 1.8 x 1.8m Red +Studs	1
AP1820RS	Welding Curtain 1.8 x 2.0m Red +Studs	1
AP1827RS	Welding Curtain 1.8 x 2.7m Red +Studs	1
AP1834RS	Welding Curtain 1.8 x 3.4m Red +Studs	1
AP1841RS	Welding Curtain 1.8 x 4.1m Red +Studs	1
AP1848RS	Welding Curtain 1.8 x 4.8m Red +Studs	1
AP1855RS	Welding Curtain 1.8 x 5.5m Red +Studs	1
AP2020RS	Welding Curtain 2.0 x 2.0m Red +Studs	1

WELDING FRAMES WITH CASTORS

Stock Code	Product Description	Pack Size
AP1818FRAME	Welding Frame with Castors 1.8 x 1.8m	1
AP2020FRAME	Welding Frame with Castors 2.0 x 2.0m	1
AP1827FRAME	Welding Frame with Castors 1.8 x 2.7m	1
APFRKIT	Kit to Extend AP1827 frame to AP1834 Frame - To be sold with AP1827 size frame only	1



WELDING CURTAIN

- Screens are made with a specially formulated vinyl to 0.4mm thick.
- These screens are transparent and resistant to UV rays, flame and abrasion all vinyl screen edges are hemmed with Dupont KEVLAR® Stitching.
- All ends have press studs at 30cm intervals.
- Red and Green Screens have been tested and pass test standards AS/NZS 3957:2014.
- The curtain frames are on rollers which provide lightweight solution for portable protection of workers and equipment.
- Helps to protect the surroundings from flying debris, sparks and harmful UV rays and radiation.



OMESF1050 Fibreglass Welding Blanket 1.0x50m roll (HT800)

HT800 - fibreglass blanket is used widely as a welding blanket and an insulation fabric to protect sensitive applications.

Material is treated with a satin weave pattern, designed for heat dispersion and protection against sparks.

Temperature rating is 550°C
Not for exposure to naked flame.
Comply to Australian Standard AS-3504.

APLB1818



OMESF1818



OMESF1050

High Silica Fabric for Higher Temperature Range Protection

SLF84 and SLF88 are High Silica Fabric, which have the qualities of high temperature resistance and anti-oxidation.

Due to its low thermal conductivity and thermal resistance, it is widely used in high temperature electrical insulation and other hazardous fields.

Maximum working temperature is up to 1600°C and at 1000°C and can be used continuously for long periods and performance is consistently high.

The fabrics are suitable for industrial sectors including metallurgy, rockets, aircraft, shipbuilding, automotive, nuclear power, and machinery.

As a high temperature welding blanket and screens, both thermal and mechanical increases the operational safety of industrial facilities and protection of equipment.

HT800 HEAT TREATED FIBREGLASS FABRIC

Stock Code	Product Description	Pack Size
OMESF0909	Soft Fibreglass Weld Blanket 0.9 x 0.9m 550°C (ext. use)	1
OMESF0918	Soft Fibreglass Weld Blanket 0.9 x 1.8m 550°C (ext. use)	1
OMESF1518	Soft Fibreglass Weld Blanket 1.5 x 1.8m 550°C (ext. use)	1
OMESF1818	Soft Fibreglass Weld Blanket 1.8 x 1.8m 550°C (ext. use)	1
OMESF1827	Soft Fibreglass Weld Blanket 1.8 x 2.7m 550°C (ext. use)	1
OMESF1050	Soft Fibreglass Weld Blanket 1.0 x 50m 550°C (ext. use)	1
HT800-2030	Fibreglass Blanket 2.0x3.0m 550°C	1
HT800-1.8-50M	Fibreglass Blanket 1.8x50m Roll 550°C	1

HIGH SILICA FABRIC FOR HIGHER TEMPERATURE RANGE

Stock Code	Product Description	Pack Size
OME84-0.9x1.8M	Soft Silica Weld Blanket 0.9 x 1.8m 1000°C (ext. use)	1
OME84-1.8x1.8M	Soft Silica Weld Blanket 1.8 x 1.8m 1000°C (ext. use)	1
OME88-0.9x1.8M	Soft Silica Weld Blanket 0.9 x 1.8m 1000°C (ext. use)	1
OME88-1.8x1.8M	Soft Silica Weld Blanket 1.8 x 1.8m 1000°C (ext. use)	1

CHROME LEATHER WELDING BLANKET

Stock Code	Product Description	Pack Size
APLB1818	Chrome Leather Welding Blanket 1.8 x 1.8m 55°C	1



GG10010



GG10040



GG10041



GG10050



OMETG2101 AND OMETG2102



OMEMG2301



AGS-L

WELDERS GLOVES		
Stock Code	Product Description	Pack Size
GG10010	Heavy Duty Mechanical Gloves Black Size L	12
GG10040	Welding Leather Gloves Blue/Gold KEVLAR® 40cm Size L	12
GG10041	Welding Leather Gloves Black and Gold 40cm Size L Cow Split Leather; Full Fleece Lining with Denim Cuff	12
GG10050	Welding Leather Gloves Reinforced Palm Green 40cm Left hand only	12
OMETG2101	Tig Gloves White with Black cuffs 35cm	12
OMETG2102	Tig Gloves White with Black cuffs 40cm	12
OMEMG2301	Cow split leather KEVLAR® sewn Mig Gloves. Full Fleece lining with denim cuff. Length 68cm	12
AGS-L	Aluminised Glove Saver - Left Hand	12

AGS-L or AGS-R

- Left or Right handed alumunised Glove Saver.
- Alumunised on the top of glove and leather inside.
- Protects the glove from radiant heat.



OMETF02

TIG FINGERS		
Stock Code	Product Description	Pack Size
OMETF01	Tig Finger 200 Tex Fiberglass Yarn 550°C	1
OMETF02	Tig Finger 350 Tex Fiberglass Yarn 550°C	1

Tig Fingers

- Fibreglass yarn has 350tex and weave of 108.
- Thickness of the yarn acts like an armour in the protection of the finger.
- Working temperature is 550°C.